

L Number	Hits	Search Text	DB	Time stamp
1	1	365/185.05,185.11,63,185.21,185.01,185.33.ccl\$1 and (nonvolatile or non\$1volatile or flash) same (digit with line\$1) same global	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 09:30
2	173	365/185.05,185.11,63,185.21,185.01,185.33.ccl\$1 and (nonvolatile or non\$1volatile or flash) same global	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 09:30
3	37	365/185.05,185.11,63,185.21,185.01,185.33.ccl\$1 and (nonvolatile or non\$1volatile or flash) same global and (select\$3 with non-select\$3 or nonselect\$3 or (non adj select\$3) with cell\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 09:32
-	23	365/\$.ccls. and (nonvolatile or non\$1volatile or flash) same (digit with line\$1) same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 09:23
-	30	(nonvolatile or non\$1volatile or flash) same (digit with line\$1) same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:03
-	344	365/\$.ccls. and (nonvolatile or non\$1volatile or flash) same ((digit with line\$1) or (bit adj line) or GBL or (global with bit with line)) same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 07:00
-	12	365/185.05,185.11,63.ccls. and (nonvolatile or non\$1volatile or flash) same connect\$3 same ((digit with line\$1) or (bit adj line) or GBL or (global with bit with line)) same (select\$3 or (non-select\$3 or (non with select\$3))) same read\$3 same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 13:24
-	58	365/\$.ccls. and (nonvolatile or non\$1volatile or flash) same connect\$3 same ((digit with line\$1) or (bit adj line) or GBL or (global with bit with line)) same (select\$3 or (non-select\$3 or (non with select\$3))) same read\$3 same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 07:31
-	4	("4873664" "5202854" "5444662" "5455786").PN.	USPAT	2004/08/02 07:26
-	178	4873664.URPN.	USPAT	2004/08/02 07:26
-	65	365/\$.ccls. and (nonvolatile or non\$1volatile or flash) same connect\$3 same ((digit with line\$1) or (bit with line) or GBL or (global with bit with line)) same (select\$3 or (non-select\$3 or (non with select\$3))) same read\$3 same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 07:32
-	47	365/\$.ccls. and (nonvolatile or non\$1volatile or flash) same connect\$3 same ((digit with line\$1) or (bit with line) or GBL or (global with bit with line)) same (select\$3 or (non-select\$3 or (non with select\$3))) same (memory with cell) same read\$3 same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 08:08
-	1	365/\$.ccls. and (nonvolatile or non\$1volatile or flash) same connect\$3 same ((digit with line\$1) or (bit with line) or GBL or (global with bit with line)) same (select\$3 or (non-select\$3 or (non with select\$3))) same (memory with cell) same read\$3 same pair same (adjoin\$3 or join\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 07:55

-	2	365/\$.ccls. and (nonvolatile or non\$1volatile or flash) same connect\$3 same ((digit with line\$1) or (bit with line) or GBL or (global with bit with line)) same (select\$3 or (non-select\$3 or (non with select\$3))) same (memory with cell) same read\$3 same pair same (adjoin\$3 or join\$3 or together)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 07:56
-	1	365/\$.ccls. and (nonvolatile or non\$1volatile or flash) same connect\$3 same ((digit with line\$1) or (bit with line) or GBL or (global with bit with line)) same (select\$3 or (non-select\$3 or (non with select\$3))) same (memory with cell) same read\$3 same pair same sector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 08:09
-	23	365/\$.ccls. and (nonvolatile or non\$1volatile or flash) same connect\$3 same ((digit with line\$1) or (bit with line) or GBL or (global with bit with line)) same (select\$3 or (non-select\$3 or (non with select\$3))) same (memory with cell) same read\$3 same pair and sector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:25
-	436	365/\$.ccls. and read same (digit with line\$1) same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:57
-	312	365/\$.ccls. and read with (digit with line\$1) same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:57
-	205	365/\$.ccls. and read with (digit with line\$1) with pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:57
-	1	365/\$.ccls. and (non\$1volatile or MRAM) with cell with read with (digit with line\$1) with pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:59
-	5	365/\$.ccls. and (non\$1volatile or MRAM) same cell same read same (digit with line\$1) same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 12:00
-	271	365/\$.ccls. and (memory with cell) same read same (digit with line\$1) same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 12:01
-	14	365/185.05,185.11,63.ccls. and (memory with cell) same read same (digit with line\$1) same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 12:02
-	27	365/185.05,185.11,63.ccls. and read same (digit with line\$1) same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 12:19
-	24	365/185.05,185.11,63.ccls. and read same (digit adj line\$1) same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 12:20
-	82	365/185.05,185.11,63.ccls. and ((digit with line\$1) or (bit adj line) or GBL or (global with bit with line)) same (adjoin or "adjacent") same read\$3 same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 13:33

-	11	365/185.05,185.11,63.ccls. and ((digit adj line\$1) or GBL or (global adj bit adj line)) same (adjoin or "adjacent") same read\$3 same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 13:34
-	97	365/\$.ccls. and (nonvolatile or non\$1volatile or flash) same ((digit with line\$1) or (bit with line\$1) or GBL or (global with bit with line\$1) or (global with digit with line\$1)) same (select\$3 or non-select\$3 or (non with select\$3)) same read\$3 same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:28
-	21	365/185.05,185.11,63.ccls. and (nonvolatile or non\$1volatile or flash) same ((digit with line\$1) or (bit with line\$1) or GBL or (global with bit with line\$1) or (global with digit with line\$1)) same (select\$3 or non-select\$3 or (non with select\$3)) same read\$3 same pair	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:05
-	1033	((bit\$1line\$1 or (bit adj line\$1) or data\$1line\$1 or (data or line\$1)) near3 (pair\$ or compliment\$3)) and 365/185.05,185.11,63.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 11:54
-	1	((bit\$1line\$1 or (bit adj line\$1) or data\$1line\$1 or (data or line\$1)) near3 (pair\$ or compliment\$3)) and 365/185.05,185.11,63.ccls.) and adjoin and (equivalent with parameter\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 11:55
-	2	((bit\$1line\$1 or (bit adj line\$1) or data\$1line\$1 or (data or line\$1)) near3 (pair\$ or compliment\$3)) and 365/185.05,185.11,63.ccls.) and adjoin and parameter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 11:55
-	219	((bit\$1line\$1 or (bit adj line\$1) or data\$1line\$1 or (data or line\$1)) near3 (pair\$ or compliment\$3)) and 365/185.05,185.11,63.ccls.) and (differential with amplifier\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 11:56
-	102	((bit\$1line\$1 or (bit adj line\$1) or data\$1line\$1 or (data or line\$1)) near3 (pair\$ or compliment\$3)) and 365/185.05,185.11,63.ccls.) and (differential adj amplifier\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 12:41
-	27	((bit\$1line\$1 or (bit adj line\$1) or data\$1line\$1 or (data or line\$1)) near3 (pair\$ or compliment\$3)) and 365/185.05,185.11,63.ccls.) and (differential adj amplifier\$1) same invert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 13:23
-	33	365/185.05,185.11,63.ccls. and (nonvolatile or non\$1volatile or flash or EEPROM) same ((digit\$1line\$1) or (bit\$1line\$1) or GBL or (global with bit\$1line\$1) or (global with digit\$1line\$1) or data or line\$1) same (select\$3 or non-select\$3 or (non with select\$3)) near3 (pair\$ or compliment\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:08

-	193	("5587943" "4403306" "4437174" "4437172" "4466081" "4494219" "4531203" "4612212" "4803529" "4910565" "5329488" "5398202" "5444279" "5513137" "5530671" "5555217" "5559742" "5586075" "5604366" "5617355" "5640030" "5668752" "5748527" "5768189" "5815450" "5825069" "5825689" "5844847" "5904526" "5917751" "6026022" "6143610" "6178113" "6243289" "6323724" "6392924" "6493265" "6618317" "6760251" "6778445" "4168537" "4947410" "5329480" "5808940" "5815434" "5936884" "6025618" "6219280" "6219280" "6711093").pn. ("5504322" "5796090" "5608684" "6211090" "6211090" "5892707" "6208577" "5742615" "6097644" "6195762" "5198384" "5708617" "5777937" "5973975" "5973974" "6198670" "5016224" "5663925" RE35825 "5818773" "5835440" "5837577" "5998631" "5901092" "6034900" "60410050185.wsp "-----"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 11:32
Search History	8/27/04 10:54 AM	Page 4		

-	102	((bit\$1line\$1 or (bit adj line\$1) or data\$1line\$1 or (data or line\$1)) near3 (pair\$ or compliment\$3)) and 365/185.05,185.11,63.ccls.) and (differential adj amplifier\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 13:23
-	102	365/\$.ccls. and ((bit\$1line\$1 or (bit adj line\$1) or data\$1line\$1 or (data or line\$1)) near3 (pair\$ or compliment\$3)) and 365/185.05,185.11,63.ccls.) and (differential adj amplifier\$1)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 13:24
-	23	365/185.\$2.ccls. and ((bit\$1line\$1 or (bit adj line\$1) or data\$1line\$1 or (data or line\$1)) near3 (pair\$ or compliment\$3)) and 365/185.05,185.11,63.ccls.) and (differential adj amplifier\$1)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 13:25